L Number	Hits	Search Text	DB	Time stamp
-	225	(key-cach$3) or (key adj cach$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:30
-	126	(key-cach$3) or (key adj cach$3) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:32
-	10	(key-cach$3) or (key adj cach$3) and (wireless) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:33
-	9	((key-cach$3) or (key adj cach$3) and (wireless)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:33
-	7	((key-cach$3) or (key adj cach$3)) and (wireless) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:34
-	3	((key-cach$3) or (key adj cach$3)) and (wireless) and (source adj address) and memory and header and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:35
-	3	((key-cach$3) or (key adj cach$3)) and (wireless) and (source adj address) and memory and (header and encryp$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:35
-	3	((key-cach$3) or (key adj cach$3)) and (wireless) and (source adj address) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:49
-	7	((key-cach$3) or (key with cach$3)) and (wireless) and (source adj address) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:47
-	0	((key-cach$3) or (key with cach$3)) and (wireless) and ((source adj address) with header) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:40
-	14	((key-cach$3) or (key with cach$3)) and (source adj address) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:47
-	0	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
-	0	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59

–	0	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
–	0	((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
–	0	((packet or datagram or header) same (encrypt$4)) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:03
–	2927	((packet or datagram or header) same (encrypt$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
–	0	((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:02
–	2927	((packet or datagram or header) same (encrypt$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:02
–	0	((packet or datagram or header) same (encrypt$4)) and ((source adj address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:03
–	95	((packet or datagram or header) same (encrypt$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:04
–	9255	((key-cach$3) or ((key or signature or value) with cach$3))((packet or datagram or header) same (encrypt$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:04
–	34	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:47
–	565	address with cache with (fast$3 or quick$3) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:48
–	284	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (determin$4 with address with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:50
–	102	(address with cache with (fast$3 or quick$3) and @ad<20000915) and ((determin$4 with address with cache) same (decryp$4) (payload or packet or datagram)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:55

-	0	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4) with (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4 or decipher$4 or decod$4) with (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4 or decipher$4 or decod$4) same (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:10
-	1	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4 or decipher$4 or decod$4) and (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:10
-	187657	cach$4 and mobile or wireless or (cell adj phone) or (cellular adj phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:43
-	12336	cach$4 and (mobile or wireless or (cell adj phone) or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:43
-	1026	cach$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:44
-	72	cach$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:44
-	21	cach$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:54
-	2	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with cach$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:58
-	14	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with (cach$4 or memory)) and decrypt$4 and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:59
-	102	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with (cach$4 or memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48

C:\APPS\EAST\Workspaces\09662991.wsp

-	9	("5790548" | "5894479" | "5946615" | "6058431" | "6128298" | "6128664" | "6154839" | "6188899" | "6442616").PN.	USPAT	2004/01/09 17:11
-	0	ep1299807.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48
-	0	ep1299807$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48
-	0	ep1299807$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:50
-	1	ep-1299807$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:38
-	0	200201367.URPN.	USPAT	2004/01/09 17:51
-	0	(source adj address) with "not" with memory with (drop$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:07
-	0	(address) with "not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	0	"not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	709	(memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	80	address with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	55	address with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:37
-	40	address with "not" or "miss$4" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:25

C:\APPS\EAST\Workspaces\09662991.wsp

-	0	address with ("not" or "miss$4") with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:25
-	2	5999629.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:37
-	0	ep-0876027$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	ep-0876027.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	ep-876027.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	2	ep-876027$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:08
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) same (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:08